# STUDY OF THE EFFECT OF TEMPERATURE AND HUMIDITY ON NYLON FABRICS UNDER STORAGE

by

### P. S. Nadkarni

Director of Technical Development (CGDP), New Delhi

## ABSTRACT

Investigations were undertaken to study the effect of temperature and humidity on the storage life of nylon fabrics. Nylon fabrics were stored under controlled conditions of temperature and humidity and their breaking and bursting strength were determined periodically. It was found that there was no significant change in the strength of the fabrics even after a period of about 8½ years when stored at temperatures as high as 85°F and relative humidities as high as 90%.

## Introduction

Nylon is a synthetic fibre—a long chain polyamide type resulting from the condensation of hexamethylene-diamine and adipic acid. It is known to have a high tenacity, a high resistance to abrasion and general immunity against attack by micro-organisms. These features have contributed to its increasing demand for use in apparel fabrics and service items. A review of the literature shows that nylon when exposed to sunlight loses considerable strength <sup>1,2,3</sup> but no specific informaton is available as regards the effect of temperature and humidity on the nylon when stored under normal storage conditions away from sunlight. Messrs British Nylon Spinners Ltd., have in their technical publications on nylon, recommended the maintenance of the lowest practicable humidity and temperature, absence of direct sunlight and adequate ventilation for purposes of storage.

It was felt that while protection from sunlight and provision of adequate ventilation could easily be ensured, it may not always be practicable in a country like India to provide for the storage of fabrics resorting to the costly methods of air-conditioning or other similar elaborate arrangements. It was therefore, considered useful to study the effect of temperature and humidity on nylon fabrics during storage and also to ascertain how long nylon fabrics could safely remain in storage without significant deterioration.

## Experimental

Investigations were undertaken with two nylon fabrics one white (No. 1) and the other light clive drab (No. 2). The storage trials were planned at 70°±2°F and 85°±2°F and relative humidities 30, 40, 50, 60, 70 and 80% which normally exist in storage depots in different parts of India throughout the year.

In order to study the rate of deterioration in the strength of fabrics, test strips 2"×10" in dimensions were cut out in the warp direction and divided into two groups, each one being selected for storage under different conditions of temperature and humidity. Only the warp strips were selected for this investigation since the breaking strength results in the warp direction are known to vary to a lesser extent than in the weft.

The cut strips were stored in large desiccators, in which relative humidities of 30, 40, 50, 60, 70 and 80% respectively were maintained by means of aqueous solutions of potassium hydroxide of appropriate concentrations. These desiccators were then kept in two rooms in which constant temperatures of 70°F and 85°F respectively were maintained throughout the period of storage.

The test strips were removed from the desiccators for determining the breaking strength in two sets at intervals of one month initially which was later raised to 2 months and afterwards to 3 months. The breaking strength test results on the fabrics No. 1 and 2 are given in tables I and II respectively. The results showed that there was no significant change in the strength of the nylon fabrics after a storage period of about two years.

Further trials were then undertaken to see how long nylon fabrics could be stored without deterioration. For this purpose two nylon fabrics undyed (No. 3) and dyed olive drab (No. 4) which had already been in storage for over six years, were selected. The storage trials were conducted on the same lines as for fabrics 1 and 2 except that the fabrics were stored in three different relative humidities viz. 30, 60 and 90% in lieu of six and the relative humidity was raised from 80% to 90%. Bursting strength test was also included in addition to the breaking strength test. The test results obtained periodically on these nylon fabrics are give in tables III and IV.

## Discussion

The results at tables I to IV however, show that all the four fabrics did not register any significant loss in their strength after being in storage. Fabrics No. 1 and 2 were in storage for about two years and fabrics No. 3 and 4 for over eight years of which six years were in a storage depot in India and about two years in the laboratory under controlled conditions of different humidities and temperatures. Since it was felt that the investigation could be completed earlier if fabrics which had already undergone a certain period of tropical storage were used, fabrics No. 3 and 4 which had been stocked in a depot for over six years, were selected for the latter part of the investigation instead of continuing the same with fabrics No. 1 and 2.

It is also interesting to note from the results in tables I to IV that, unlike the case of textile materials made from natural fibres, the changes in the humidity, however large, have no significant effect on the strength of nylon fabrics. This is possibly due to its much less moisture regain  $(6\frac{1}{2}\% \text{ at } 100\% \text{ RH})$  as compared to the natural fabrics, the moisture regain of some of which is as much as 35% at 100% Relative Humidity. It is stated in the book by Kaswell<sup>4</sup> that "for each fiber the greater the degree of hydrophobility, less is the difference between the dry and wet diagrams and Nylon, Orlon, Dacron and Dynel show small or no difference because they absorb little or no water",

As there was no appreciable difference in the life of nylon fabrics after storage for over 8 years under temperatures upto 85°F and relative humidity upto 90% which are ordinarily prevalent in well ventilated storage depots in India, it can safely be inferred that nylon fabrics are capable of being stored over long periods of time without any fear of deterioration.

## Conclusion

Nylon fabrics can be safely stored indoors for long periods of time at temperatures up to 85°F and relative humidity up to 90%. No elaborate storage arrangements such as air conditioning therefore, appear to be absolutely necessary for the purpose of their safe storage in the tropics.

## Acknowledgement

Acknowledgments are due to the Director of Research and Development (General), Ministry of Defence (CGDP) New Delhi for permission to publish this paper and to the Chief Inspector of Textiles and Clothing, Kanpur, for the facilities provided for undertaking this investigation.

## References

- 1. Boulton, J. and Jackson, D.L.C., J. Soc. of Dyers and Col., 59, 25 (1943).
- 2. Khanderia, K.S. and Vaidya, B.K., J. Soc. Ind. Res. (India), 6B, 24 (1947).
- 3. Egerton, G. S., J. Soc. of Dyers and Col. 64, 336 (1946).
- 4. Kasell, E. R., 'Textile Fibres Yarns and Fabrics' (1953), p. 102.

TABLE I

Fabric No. 1

Cloth

. Undyed

Temperature of storage 70°F

| %<br>R.N. | Average Breaking Strength in lbs<br>after storage for months |     |     |     |     |     |     |     |     |     |     |              |  |
|-----------|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|--|
|           | Ini-<br>tial   | 1   | 2   | 3   | 5   | 7   | 9   | 11  | 13  | 15  | 19  | 22<br>months |  |
| 30        | 132  | 134 | 131 | 129 | 122 | 126 | 120 | 128 | 133 | 131 | 130 | 128          |  |
| 40        | 132  | 132 | 133 | 141 | 134 | 139 | 132 | 129 | 131 | 129 | 136 | 129          |  |
| 50        | 132  | 134 | 131 | 137 | 137 | 136 | 135 | 138 | 137 | 139 | 140 | 128          |  |
| 60        | 132  | 120 | 129 | 138 | 138 | 140 | 132 | 137 | 132 | 135 | 142 | 133          |  |
| 70        |  | 130 | 131 | 130 | 137 | 136 | 134 | 138 | 137 | 133 | 138 | 134          |  |
| 80        |  | 131 | 134 | 135 | 137 | 132 | 125 | 140 | 142 | 139 | 142 | 134          |  |

# TABLE II

Fabric No. 2

Cloth

Dyed

light Olive Drab

Temperature of storage 85°F

| %<br>R.N. | Average Breaking Strength in 1bs<br>after storage for months |     |     |     |     |      |      |     |     |      |           |  |
|-----------|--|-----|-----|-----|-----|------|------|-----|-----|------|-----------|--|
| 5         | Ini- ,<br>tial   | 1 % | 2   | 4   | 6   | 8    | 10 - | 13  | 16  | 19   | 22 months |  |
| 30        | 122  | 123 | 123 | 122 | 120 | 117  | 128  | 128 | 118 | 118  | 117       |  |
| 40        | 122  | 123 | 117 | 120 | 121 | 115  | 118  | 125 | 115 | 1/18 | 118       |  |
| 50        | 122  | 120 | 118 | 121 | 119 | 110  | 119  | 128 | 127 | 119  | 118       |  |
| 60        | 122  | 119 | 123 | 124 | 123 | 117- | 125  | 125 | 125 | 121  | 118       |  |
| 70        | 122  | 117 | 120 | 124 | 124 | 116  | 118  | 126 | 127 | 119  | 119       |  |
| 80        | 122  | 120 | 120 | 121 | 124 | 115  | 123  | 119 | 126 | 118  | 117       |  |

TABLE III

Breaking strength and bursting strength results on Fabric No. 3

|                    | Breaking str                  | ength in lbs.                 | Bursting strength in lbs./Sq. inch. |                              |  |  |  |  |  |
|--------------------|-------------------------------|-------------------------------|-------------------------------------|------------------------------|--|--|--|--|--|
| Storage<br>periods | Temperature 70°F              | Temperature<br>85°F           | Temperature<br>70°F                 | Temperature<br>85°F          |  |  |  |  |  |
|                    | 30% 60% 90%<br>R.H. R.H. R.H. | 30% 60% 90%<br>R.H. R.H. R.H. | 30% 60% 90%<br>R.H. R.H. R.H.       | 30% 60% 90%<br>R:H. R.H. R.H |  |  |  |  |  |
| Initial            | 118 117 115                   | 117 118 118                   | 167 168 164                         | 163 165 164                  |  |  |  |  |  |
| After 3 Months     | 110 109 107                   | 106 107 106                   | 162 164 164                         | 163 163 164                  |  |  |  |  |  |
| ,, 6 ,,            | 119 116 115                   | 118 115 116                   | 177 , 175 170                       | 170 171 170                  |  |  |  |  |  |
| " 10 "             | 115 114 112                   | 111 112 108                   | 165 173 170                         | 168 170 167                  |  |  |  |  |  |
| ,, 16 ,,           | 115 113 110                   | 111 110 108                   | 166 170 167                         | 162 163 162                  |  |  |  |  |  |
| ,, 22 ,,           | 123 118 122                   | 122 121 121                   | 158 156 155                         | 157 156 154                  |  |  |  |  |  |
| " 28 "             | 111 108 106                   | 108 108 106                   |                                     |                              |  |  |  |  |  |

<sup>\*</sup>Further Bursting Strength readings could not be taken due to the test apparatus going out of order.

TABLE IV

Breaking strength and bursting strength results on Fabric No. 4

|                   | Breakin             | g stre              | ngth in     | lbs.        |                     | Bursting strength in lbs./Sq. inch |             |                     |             |             |             |  |
|-------------------|---------------------|---------------------|-------------|-------------|---------------------|------------------------------------|-------------|---------------------|-------------|-------------|-------------|--|
| Storage<br>period | Temper<br>70°       | Temperature<br>85°F |             |             | Temperature<br>70°F |                                    |             | Temperature<br>85°F |             |             |             |  |
|                   | 30% 60%<br>R.H. R.H | 90%<br>R.H.         | 30%<br>R.H. | 60%<br>R.H. | 90%<br>R.H.         | 30%<br>R.H.                        | 60%<br>R.H. | 90%<br>R.H.         | 30%<br>R.H. | 60%<br>R.H. | 90%<br>R.H. |  |
| Initial           | 125 124             | 123                 | 119         | 121         | 117                 | 174                                | 174         | 169                 | 175         | 178         | 175         |  |
| After 9 months    | 110 114             | 111                 | 109         | 105         | 105                 | 175                                | 171         | 172                 | 170         | 172         | 169         |  |
| " 18 "            | 119 121             | 121                 | 119         | 120         | 116                 | 166                                | 155         | 159                 | 156         | 162         | 153         |  |
| " 27 "            | 123 123             | 126                 | 124         | 120         | 120                 | *                                  | •           | •                   | •           |             | *           |  |

<sup>\*</sup>Further Bursting Strength readings could not be taken due to the test apparatus going out of order.